

Trusted since 1988



No-1 Brand For Pipes

TSL | TIRUPATI®

PIPING SYSTEMS

“न डर न क्षति जब
साथ हो तिरुपति”



PRICE LIST

w.e.f. 01/01/2024

100%
Lead Free

AGRICULTURE DRAINAGE PLUMBING
Premium Quality Products

TIRUPATI STRUCTURALS LIMITED
AN ISO 9001 : 2015 CERTIFIED COMPANY

CPVC PLUMBING PIPES & FITTINGS | UPVC (ASTM) PIPES & FITTINGS | PVC PIPES & FITTINGS
DRAINAGE PIPES | SWR PIPE & FITTINGS | COLUMN PIPE | CASING PIPE | HDPE PIPE | GARDEN PIPE
HDPE SPRINKLER SYSTEM | DRIP IRRIGATION SYSTEM | PVC FOAM BOARD SHEET | WATER STORAGE TANK

I N D E X

CPVC Plumbing Pipes, Fittings & Solvent	1-3
UPVC Plumbing Pipes, Fittings & Solvent	4-5
Agri Pressure Pipes, Fittings & Solvent	6-8
Underground Drainage Pipes	8
UPVC SWR Pipes & Fittings	9-10
Column Pipes & Casing Pipes	11
Water Tank & Garden Pipes	12

OUR OTHER PRODUCTS

HDPE Piping System
HDPE Sprinkler System
Drip Irrigation System
PVC Foam Board Sheet



COMPANY PROFILE

ABOUT US

Giving technological lifts to organizations spread across India with our world class product portfolio, Tirupati Structurals Limited have today emerged as a prominent Indian manufacturer and supplier of unmatched business repute. Since inception in 1988, our team of proficient engineering, technical and design experts have successfully exploited innovative technologies to bring forth for clients a vast spectrum of products that exhibit highest standards of quality and excellence.

WHAT WE DO.

TSL-Tirupati employs ultra modern machines in its process to ensure smooth and flawless production. We maintain large inventories to ensure uninterrupted and constant supply of products in the market. Our ever-growing products basket includes PVC pipes and fittings, SWR pipes and fittings, PVC casing pipes, water storage tanks, HDPE pipes, UPVC pipes and fittings, CPVC pipes and fittings, Sprinkler systems, Hand pumps and Solid waste management products. TSL-Tirupati products rank high on every parameter of quality, durability and dimensions.

WHO WE ARE

We are one of the largest manufactures of quality PVC / CPVC/ HDPE Pipes and fittings in North India with rich experience in delivering the right product and service to our clients.

WHY CHOOSE US.

Tirupati Structurals Limited is empowered with outstanding manufacturing facilities at Sahibabad (UP) and Roorkee (Uttarakhand) with installed production capacity to process over 5000 MT per month which is Largest in north India. The units are equipped with latest innovative technologies and a strong team of highly motivated professionals and technically proficient workers to produce an unbeatable line of pipes and fittings, tanks and containers for diverse applications. TSL-Tirupati believe in a sustained process of innovation and diversification of their products.

WHAT YOU GET

Before Time Delivery !! Absolute Commitment and an Honest approach in every thing we do. A prosperous growth and class of unmatched quality is what you receive from our end.

OUR VISION

'TSL-TIRUPATI' is driven by the vision on continuing on the path towards success with its channel partners. Delivering on the promise of perfection in both products and services, we aim to become the preferred brand of piping systems.

OUR MISSION

Not to be ahead of others but to indulge in self-competition and to break previous records, to outshine yesterday by today, to do work with more self-belief than ever before. To consistently design develop & distribute high quality piping systems is 'TSL-TIRUPATI' mission.



CPVC PLUS PIPES & FITTINGS

TSL - TIRUPATI Plus CPVC Plumbing System is Designed for Hot & Cold Water which is Suitable for all Plumbing and Potable Water Application. It has a Proven Hot & Cold Water Performance from 0°C to 93°C. It's Corrosion Resistance Property Makes it Usable in all Weather & Ensures Constant Flow Over Lifetime. This System is Used in Industrial, Commercial & Public Complexes.



CPVC Pipes in SDR 11, SDR 13.5 (As Per IS:15778)



CPVC PIPES SDR-11, 3 & 5 MTRS. LENGTH					
SIZES	STD.	3 MTR.	5 MTR.	PER MTR.	
MM (in)	PKT.	M.R.P.	M.R.P.		
15 1/2"	100	360/-	600.00/-	120.00/-	
20 3/4"	55	499/-	831.67/-	166.33/-	
25 1"	30	801/-	1335.00/-	267.00/-	
32 1.25"	20	1175/-	1958.33/-	391.67/-	
40 1.50"	15	1740/-	2900.00/-	580.00/-	
50 2"	10	2949/-	4915.00/-	983.00/-	



CPVC PIPES SDR-13.5, 3 & 5 MTRS. LENGTH					
SIZES	STD.	3 MTR.	5 MTR.	PER MTR.	
MM (in)	PKT.	M.R.P.	M.R.P.		
15 1/2"	100	315/-	525.00/-	105.00/-	
20 3/4"	55	460/-	766.67/-	153.33/-	
25 1"	30	725/-	1208.33/-	241.67/-	
32 1.25"	20	1080/-	1800.00/-	360.00/-	
40 1.50"	15	1515/-	2525.00/-	505.00/-	
50 2"	10	2520/-	4200.00/-	840.00/-	

Fittings in SDR 11 (As Per IS:17546 : 2021)



ELBOW 90°					
Item Code	SIZES	STD.	PKG.	M.R.P.	BOX
	MM (in)	PKT.	(Box)		
1720	15 1/2"	50	1000	21.00/-	21000/-
1721	20 3/4"	50	800	26.50/-	21200/-
1722	25 1"	50	400	55.00/-	22000/-
1723	32 1.25"	10	200	106.00/-	21200/-
1724	40 1.50"	10	120	178.00/-	21360/-
1725	50 2"	5	50	418.00/-	20900/-



ELBOW 45					
Item Code	SIZES	STD.	PKG.	M.R.P.	BOX
	MM (in)	PKT.	(Box)		
1953	20 3/4"	50	200	34.65/-	6930/-
2442	25 1"	40	200	54/-	10800/-
2443	32 1.25"	40	120	136/-	16320/-



TEE					
Item Code	SIZES	STD.	PKG.	M.R.P.	BOX
	MM (in)	PKT.	(Box)		
1726	15 1/2"	50	600	27.50/-	16500/-
1727	20 3/4"	50	500	43.00/-	21500/-
1728	25 1"	25	300	71.00/-	21300/-
1729	32 1.25"	10	150	133.00/-	19950/-
1730	40 1.50"	10	80	247.00/-	19760/-
1731	50 2"	5	40	525.00/-	21000/-



COUPLER					
Item Code	SIZES	STD.	PKG.	M.R.P.	BOX
	MM (in)	PKT.	(Box)		
1732	15 1/2"	50	1200	15.40/-	18480/-
1733	20 3/4"	50	600	21.00/-	12600/-
1734	25 1"	50	600	38.00/-	22800/-
1735	32 1.25"	25	300	65.00/-	19500/-
1736	40 1.50"	10	200	121.00/-	24200/-
1737	50 2"	10	50	255.00/-	12750/-



MALE ADAPTOR (TH)					
Item Code	SIZES	STD.	PKG.	M.R.P.	BOX
	MM (in)	PKT.	(Box)		
1739	20 3/4"	50	600	33.50/-	20100/-
1740	25 1"	50	300	50.00/-	15000/-
1741	32 1.25"	10	150	75.00/-	11250/-
1742	40 1.50"	10	100	100.80/-	10080/-
1743	50 2"	10	50	184.80/-	9240/-



FEMALE ADAPTOR (TH)					
Item Code	SIZES	STD.	PKG.	M.R.P.	BOX
	MM (in)	PKT.	(Box)		
1745	20 3/4"	50	400	44.00/-	17600/-
1746	25 1"	25	200	64.00/-	12800/-
1747	32 1.25"	10	120	149.18/-	17902/-
1748	40 1.50"	10	100	168.00/-	16800/-
1749	50 2"	10	50	260.00/-	13000/-



BALL VALVE (CTC SOCKET)						
Item Code	SIZES		STD. PKG.	M.R.P.	BOX	
	MM	(in)	PKT.	(Box)		
1845	20	3/4"	5	40	280/-	11200/-
1846	25	1"	10	40	450/-	18000/-
1847	32	1.25"	5	20	785/-	15700/-
1848	40	1.50"	4	16	1250/-	20000/-
1849	50	2"	10	10	2150/-	21500/-



REDUCING MTA BRASS						
Item Code	SIZES		STD. PKG.	M.R.P.	BOX	
	(in)		PKT.	(Box)		
1819	3/4"x1/2"		50	150	150/-	22500/-
1821	1"x3/4"		25	100	315/-	31500/-
2147	3/4"x1/2"		50	150	200/-	30000/-
1820	1"x1/2"		25	100	280/-	28000/-

Hex



METAL STRAP						
Item Code	SIZES		STD. PKG.	M.R.P.	BOX	
	MM	(in)	PKT.	(Box)		
1907	20	3/4"	100	500	18/-	9000/-
1908	25	1"	100	500	20/-	10000/-
1909	32	1.25"	100	1000	22/-	22000/-



REDUCING FTA BRASS						
Item Code	SIZES		STD. PKG.	M.R.P.	BOX	
	(in)		PKT.	(Box)		
1850	3/4"x1/2"		50	200	105/-	21000/-
1822	1"x1/2"		25	100	140/-	14000/-
1823	1"x3/4"		25	150	160/-	24000/-



STEP OVER BEND						
Item Code	SIZES		STD. PKG.	M.R.P.	BOX	
	MM	(in)	PKT.	(Box)		
1904	20	3/4"	10	200	140/-	28000/-
1905	25	1"	10	150	270/-	40500/-



END PLUG						
Item Code	SIZES		STD. PKG.	M.R.P.	BOX	
	MM	(in)	PKT.	(Box)		
1831	15	1/2"	50	100	14/-	1400/-



NON RETURN VALVE (NRV)						
Item Code	SIZES		STD. PKG.	M.R.P.	BOX	
	MM	(in)	PKT.	(Box)		
2572	20	3/4"	10	50	460/-	23000/-
2573	25	1"	10	40	560/-	22400/-



CROSS TEE						
Item Code	SIZES		STD. PKG.	M.R.P.	BOX	
	MM	(in)	PKT.	(Box)		
1825	20	3/4"	50	200	77/-	15400/-
1826	25	1"	25	200	237/-	47400/-

CPVC HEAVY DUTY SOLVENT				
SIZES		MRP	Inner Carton	Master Carton
10 ML	Tube	30.00	50	600
20 ML	Tube	55.00	50	600
29 ML	Tube	80.00	64	384
50 ML	Tube	110.00	50	300
59 ML	Tube	140.00	40	240



CPVC HEAVY DUTY SOLVENT				
SIZES		MRP	Inner Carton	Master Carton
50 ML	Tin	145.00	30	240
59 ML	Tin	165.00	30	240
100 ML	Tin	230.00	24	144
118 ML	Tin	255.00	24	144
200 ML	Tin	380.00	24	96
237 ML	Tin	440.00	24	96
473 ML	Tin	800.00	12	48
946 ML	Tin	1465.00	6	24

SALIENT FEATURES OF CPVC AND UPVC PIPE

Long Lasting and Maintenance Free

- Life span of over 50 years.
- No depositions to offer 100% water carrying capacity.
- Hot water remains hot due to low thermal conductivity.
- Reduced water hammer problems.
- Unaffected by long solar and UV radiation exposure.

Economical

- Low initial investment & lowest lifetime ownership cost.
- Very high energy efficiency .
- No special tools required due to easy installation.
- 100% eco-friendly and recyclable material.

INSTALLATION OF CPVC AND UPVC PIPE



UPVC PLUS PIPES & FITTINGS

TIRUPATI UPVC Plumbing Pipes Are UV Stabilized. These Pipes are Manufactured as Per ASTM D 1785 Standard in Schedule 40 & 80 Pressure Class & Fittings as Per ASTM 2467 In Schedule 80 Series Fittings are Solvent Weld Socketed Fittings. The Joint Formed by Pipes & Fittings with Solvent Cement Called Cold Welding. Pipes are Available in 3MTR & 6MTR with Plain & Threaded End. Threading is as Per IS 554, BSPT Thread.



UPVC Pipes in SCH-40 SCH-80 (As Per ASTM D-1785)

UPVC PLAIN PIPE (SCHEDULE 40)					
SIZES		STD. PKG	3 MTR.	STD. PKG	6 MTR.
MM	(in)	3 MTR.	M.R.P.	6 MTR.	M.R.P.
21.34	1/2"	48	238/-	24	476/-
26.67	3/4"	24	323/-	12	646/-
33.40	1"	24	476/-	12	952/-
42.16	1.25"	12	663/-	6	1326/-
48.26	1.50"	12	799/-	6	1598/-
60.32	2"	8	1020/-	4	2040/-
73.03	2.50"	6	1710/-	3	3420/-
88.90	3"	4	2250/-	2	4500/-
114.30	4"	4	3240/-	2	6480/-

UPVC PLAIN PIPE (SCHEDULE 80)					
SIZES		STD. PKG	3 MTR.	STD. PKG	6 MTR.
MM	(in)	3 MTR.	M.R.P.	6 MTR.	M.R.P.
21.34	1/2"	48	315/-	24	629/-
26.67	3/4"	24	400/-	12	799/-
33.40	1"	24	578/-	12	1156/-
42.16	1.25"	12	799/-	6	1598/-
48.26	1.50"	12	1054/-	6	2108/-
60.32	2"	8	1479/-	4	2958/-
73.03	2.50"	6	2340/-	3	4680/-
88.90	3"	4	3150/-	2	6300/-
114.30	4"	4	4500/-	2	9000/-

UPVC THREADED PIPE (SCHEDULE 80)					
SIZES		STD. PKG	3 MTR.	STD. PKG	6 MTR.
MM	(in)	3 MTR.	M.R.P.	6 MTR.	M.R.P.
21.34	1/2"	48	319/-	24	638/-
26.67	3/4"	24	405/-	12	811/-
33.40	1"	24	587/-	12	1173/-
42.16	1.25"	12	811/-	6	1622/-
48.26	1.50"	12	1071/-	6	2139/-
60.32	2"	8	1501/-	4	3002/-
73.03	2.50"	6	2373/-	3	4746/-
88.90	3"	4	3194/-	2	6388/-
114.30	4"	4	4563/-	2	9126/-

UPVC SOLVENT			
Size	MRP	Inner Carton	Master Carton
10 ML (Tube)	28.00	50	600
20 ML (Tube)	35.00	50	600
50 ML (Tube)	78.00	50	300
50 ML (Tin)	100.00	30	240
59 ML (Tin)	120.00	30	240
100 ML (Tin)	160.00	24	144
118 ML (Tin)	175.00	24	144
200 ML (Tin)	270.00	24	96
237 ML (Tin)	290.00	24	96
473 ML (Tin)	560.00	12	48
946 ML (Tin)	1020.00	6	24

UPVC Plumbing Fittings in SCH 80 (As Per ASTM D 2467)

COUPLER					
Item Code	SIZE (in)	M.R.P.	1 BAG Pcs. X Sachet	TOTAL PCS. (Per Box)	AMOUNT (Per Box)
1648	1/2"	10/-	50 X 15	750	7500/-
1649	3/4"	14/-	50 X 10	500	7000/-
1650	1"	23/-	25 X 6	150	3450/-
1651	1.25"	33/-	25 X 4	100	3300/-
2369	1.50"	45/-	25 X 4	100	4500/-
2370	2"	66/-	20 X 3	60	3960/-

BALL VALVE					
Item Code	SIZE (in)	M.R.P.	1 BAG Pcs. X Sachet	TOTAL PCS. (Per Box)	AMOUNT (Per Box)
1671	1/2"	95/-	50 X 3	150	14250/-
1672	3/4"	143/-	25 X 4	100	14300/-
1673	1"	220/-	25 X 2	50	11000/-
1674	1.25"	343/-	5 X 8	40	13720/-
2367	1.5"	524/-	1x10	10	5240/-
2371	2"	785/-	1x5	5	3925/-

EQUAL TEE					
Item Code	SIZE (in)	M.R.P.	1 BAG Pcs. X Sachet	TOTAL PCS. (Per Box)	AMOUNT (Per Box)
1652	1/2"	17/-	50 X 8	400	6800/-
1653	3/4"	25/-	50 X 5	250	6250/-
1654	1"	39/-	25 X 3	75	2925/-
1655	1.25"	63/-	10 X 5	50	3150/-
2372	1.50"	92/-	8x5	40	3680/-
2373	2"	151/-	6x4	24	3624/-

ELBOW 95°					
Item Code	SIZE (in)	M.R.P.	1 BAG Pcs. X Sachet	TOTAL PCS. (Per Box)	AMOUNT (Per Box)
1675	1/2"	13/-	50 X 7	350	4550/-
1676	3/4"	19/-	50 X 8	400	7600/-
1677	1"	30/-	25 X 5	125	3750/-
1678	1.25"	47/-	25 X 2	50	2350/-
2374	1.50"	68/-	20 X 3	60	4080/-
2375	2"	103/-	10x4	40	4120/-

AGRI PRESSURE PIPES & FITTINGS



UPVC AGRI. Pipe (As Per - 4985 : 2000) (6 mtr. Length)

SIZES		CLASS-1 (2.5 KG/CM ²) M.R.P./Pcs		CLASS-2 (4 KG/CM ²) M.R.P./Pcs		CLASS-3 (6 KG/CM ²) M.R.P./Pcs		CLASS-4 (8 KG/CM ²) M.R.P./Pcs		CLASS-5 (10 KG/CM ²) M.R.P./Pcs		CLASS-6 (12.5 KG/CM ²) M.R.P./Pcs	
(inches)	(MM)	CODE	MRP	CODE	MRP	CODE	MRP	CODE	MRP	CODE	MRP	CODE	MRP
1/2"	20	-	-	-	-	-	-	-	-	978	221/-	2348	267/-
3/4"	25	-	-	-	-	-	-	2349	297/-	2350	337/-	2351	396/-
1"	32	-	-	-	-	-	-	982	462/-	984	528/-	986	627/-
1.25"	40	-	-	-	-	988	522/-	990	652/-	992	815/-	994	978/-
1.50"	50	-	-	-	-	996	815/-	998	1076/-	1000	1239/-	1002	1532/-
2"	63	-	-	1004	864/-	1006	1184/-	1008	1600/-	1010	1888/-	1012	2368/-
2.50"	75	-	-	1014	1184/-	1016	1728/-	1018	2240/-	1020	2656/-	1022	3328/-
3"	90	1024	1120/-	1026	1760/-	1028	2400/-	1030	3200/-	1032	3808/-	1034	4800/-
4"	110	1036	1760/-	1038	2400/-	1040	3520/-	1042	4800/-	1044	5760/-	1046	7232/-
4.50"	125	1048	2080/-	1050	3200/-	1052	4480/-	1054	6080/-	1056	7040/-	1058	9280/-
5"	140	1060	2496/-	1062	4000/-	1064	5440/-	1066	7680/-	1068	9216/-	1070	11584/-
6"	160	1072	3296/-	1074	5440/-	1076	7040/-	1078	10240/-	1080	12064/-	1082	15200/-
7"	180	1084	4224/-	1086	6560/-	1088	8640/-	1090	12800/-	1092	15264/-	1094	19200/-
8"	200	1096	5248/-	1098	8000/-	1100	11840/-	1102	16000/-	1104	18816/-	1106	23744/-
9"	225	1108	6976/-	1110	10752/-	1112	15552/-	1114	20160/-	1116	24704/-	1118	29920/-
10"	250	1120	8384/-	1122	12992/-	1124	19264/-	1126	24960/-	1128	30528/-	1130	37120/-
11"	280	1132	10720/-	1134	16480/-	1136	24185/-	1138	31360/-	1140	38240/-	1142	46464/-
12"	315	1144	13424/-	1146	20800/-	1148	30656/-	1150	39360/-	1152	48224/-	1154	58944/-
14"	355	1156	16640/-	1158	26240/-	1160	38400/-	1162	50240/-	1164	61440/-	1166	74816/-
16"	400	1168	21440/-	1170	33280/-	1172	48960/-	1174	63680/-	1176	77760/-	1178	94976/-

UPVC AGRI. Fitting (As Per IS : 7834)

ELBOW (STANDARD)

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
2405	90	45	53/-	2385/-
2406	110	24	80/-	1920/-

ELBOW (PN-4)

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1367	40	160	16/-	2560/-
1369	50	100	27/-	2700/-
1371	63	120	34/-	4080/-
1375	75	60	41/-	2460/-
1376	90	45	62/-	2790/-
1381	110	24	90/-	2160/-
1385	140	20	210/-	4200/-
1387	160	16	320/-	5120/-

ELBOW (MEDIUM)

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1379	90	45	74/-	3330/-
1383	110	24	127/-	3048/-

ELBOW (CL-3)

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1475	75	45	86/-	3870/-
1477	90	30	106/-	3180/-
1479	110	24	170/-	4080/-
1481	160	16	398/-	6368/-

ELBOW (CL-3) SUPER HEAVY

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1493	90	30	152/-	4560/-
1495	110	24	206/-	4944/-

REDUCING COUPLER

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1463	90X75	30	58/-	1740/-
1465	90X63	30	53.50/-	1605/-
1467	90X50	30	52/-	1560/-
1459	110X63	48	83/-	3984/-
1471	110X75	48	85/-	4080/-
1461	110X90	48	90/-	4320/-
2441	140X110	27	121/-	3267/-
1469	160X110	24	201/-	4824/-

FRP COATED REDUCER

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1629	110X63	58	244/-	14152/-

END CAP

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1425	40	150	16/-	2400/-
1427	63	168	22/-	3696/-
1429	90	64	40/-	2560/-
1431	110	64	54/-	3456/-
2117	140	27	110/-	2970/-
1433	160	36	150/-	5400/-
1435	180	36	220/-	7920/-
1437	200	18	320/-	5760/-
1439	225	24	370/-	8880/-
	75		COMING SOON	



TEE (STANDARD)

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
2407	90	30	66/-	1980/-
2408	110	24	104/-	2616/-

TEE (PN-4)

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1389	40	110	22/-	2420/-
1391	50	56	36/-	2016/-
1393	63	100	43.50/-	4350/-
1395	75	45	52/-	2340/-
1397	90	30	84/-	2520/-
1399	110	24	112/-	2688/-
1403	140	14	282/-	3948/-
1405	160	12	406/-	4872/-

TEE (MEDIUM)

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1401	110	24	144/-	3456/-

TEE (CL-3)

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1483	75	40	114/-	4560/-
1485	90	30	130/-	3900/-
1487	110	24	216/-	5184/-
1489	160	12	450/-	5400/-

TEE (CL-3) SUPER HEAVY

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1501	90	30	162/-	4860/-
1503	110	24	264/-	6336/-

COUPLER (6 KG)

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
2481	90	100	58/-	5800/-
2482	110	64	88/-	5632/-
	140		COMING SOON	

REDUCER TEE

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1531	90x50	30	160/-	4800/-
1533	90x63	30	178/-	5340/-
1535	90x75	30	182/-	5460/-
1537	110x63	24	190/-	4560/-
1539	110x75	24	196/-	4704/-
1541	110x90	24	203/-	4872/-
2465	140X110	15	391/-	5865/-
1543	160x140	12	512/-	6144/-
1545	160x110	12	512/-	6144/-

REDUCER ELBOW

Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1473	110X90	24	130/-	3120/-
2464	140X110	24	192/-	4608/-
	90X63		COMING SOON	
	160X110		COMING SOON	



MTA				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1407	40	100	19/-	1900/-
1409	90	48	79/-	3792/-
1411	110	48	132/-	6336/-



FTA				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1413	40	100	17/-	1700/-
1415	90	48	96/-	4608/-
1417	110	48	145/-	6960/-

SWR Fittings Self Fit (As Per IS:14735)



N-TRAP (JALI)				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1575	110x110	100	26/-	2600/-



N-TRAP				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1577	110x63	40	104/-	4160/-
1579	110x75	40	111/-	4440/-
1581	110x90	40	121/-	4840/-
1583	110x110	32	154/-	4928/-



OFFSET				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
2440	75	40	130/-	5200/-
1419	90	24	165/-	3960/-
1421	110	15	225/-	3375/-
2479	140	15	390/-	5850/-
1423	160	8	575/-	4600/-



PVC SOLVENT				
SIZES		MRP	Inner Carton	Master Carton
10 ML	Tube	25.00	50	600
20 ML	Tube	30.00	50	600
50 ML	Tube	45.00	50	300
100 ML	Tube	90.00	25	150
50 ML	Tin	75.00	30	240
100 ML	Tin	100.00	24	144
200 ML	Tin	180.00	24	96
250 ML	Tin	195.00	24	96
500 ML	Tin	330.00	12	48
1000 ML	Tin	600.00	6	24



P-TRAP (SML)				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1507	110X110	10	261/-	2610/-
1509	110X125	10	301/-	3010/-

P-TRAP (FLAT)				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
2274	110X110	10	275/-	2750/-
2236	110X125	10	326/-	3260/-

P-TRAP (LONG)				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
2394	110X110	10	312/-	3120/-
1513	110X125	10	389/-	3890/-

VENT COWL				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	BOX
1515	63	80	21/-	1680/-
1517	75	100	22/-	2200/-
1519	90	96	30/-	2880/-
1521	110	54	37/-	1998/-

PVC SOLVENT				
SIZES		MRP	Inner Carton	Master Carton
25 ML	Bottles	25.00	100	600
50 ML	Bottles	40.00	100	400
100 ML	Bottles	80.00	60	240
200 ML	Bottles	170.00	24	96
250 ML	Bottles	180.00	24	96
500 ML	Bottles	295.00	12	48
1000 ML	Bottles	530.00	12	24
5000 ML	Can	2350.00	6	6

UNDERGROUND DRAINAGE PIPES (As Per IS : 15328)

UNDERGROUND DRAINAGE PIPES				
SIZES MM	(in)	SDR-51/SN-2 M.R.P.	SDR-41/SN-4 M.R.P.	SDR-34/SN-8 M.R.P.
63	2"	-	-	1536/-
75	2-1/2"	-	-	1952/-
90	3"	-	-	2432/-
110	4"	-	-	3382/-
125	4-1/2"	-	3859/-	4506/-
160	6"	4970/-	6160/-	7200/-
200	8"	7565/-	9405/-	11226/-
250	10"	11821/-	14778/-	17379/-
315	12"	18726/-	23146/-	27197/-
400	16"	30259/-	37258/-	44211/-



UPVC SWR PIPES & FITTINGS



SWR Pipes With Rings (As Per IS:13592)



SWR PIPE WITH SINGLE SOCKET								
TYPE	SIZES (MM)	12 FT M.R.P. / Pipe	10 FT M.R.P. / Pipe	6 FT M.R.P. / Pipe	4 FT M.R.P. / Pipe	3 FT M.R.P. / Pipe	2 FT M.R.P. / Pipe	1 FT M.R.P. / Pipe
A	75	491/-	410/-	246/-	164/-	123/-	82/-	41/-
A	90	655/-	546/-	328/-	218/-	164/-	109/-	55/-
A	110	956/-	796/-	478/-	319/-	239/-	159/-	80/-
A	160	1966/-	1638/-	983/-	655/-	491/-	328/-	164/-
B	75	901/-	751/-	450/-	300/-	225/-	150/-	75/-
B	90	1106/-	921/-	553/-	369/-	276/-	184/-	91/-
B	110	1392/-	1160/-	696/-	464/-	348/-	232/-	116/-
B	160	2457/-	2048/-	1229/-	819/-	614/-	410/-	205/-

SWR PIPE WITH DOUBLE SOCKET								
TYPE	SIZES (MM)	12 FT M.R.P. / Pipe	10 FT M.R.P. / Pipe	6 FT M.R.P. / Pipe	4 FT M.R.P. / Pipe	3 FT M.R.P. / Pipe	2 FT M.R.P. / Pipe	1 FT M.R.P. / Pipe
A	75	516/-	430/-	258/-	172/-	129/-	86/-	43/-
A	90	688/-	573/-	344/-	229/-	172/-	115/-	57/-
A	110	1004/-	836/-	502/-	335/-	251/-	167/-	84/-
A	160	2064/-	1720/-	1032/-	688/-	516/-	349/-	172/-
B	75	946/-	788/-	473/-	315/-	236/-	158/-	79/-
B	90	1161/-	967/-	580/-	387/-	290/-	193/-	96/-
B	110	1462/-	1218/-	731/-	487/-	365/-	244/-	122/-
B	160	2580/-	2150/-	1290/-	860/-	645/-	430/-	215/-

SWR Selfit Pipes ISI (TYPE A)

SWR SELFIT PIPES TYPE A (ISI) 3 MTR				
SIZE (INCH)	2.5"	3	4	6
SIZE (MM)	75	90	110	160
M.R.P	436/-	581/-	847/-	1796/-

SWR Fittings With Rings (As Per IS:14735)

SWR PLAIN TEE 87.5°				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1603	75	60	104/-	6240/-
1605	90	30	148/-	4440/-
1607	110	24	199/-	4776/-

SWR DOOR CROSS TEE				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1611	110	20	338/-	6760/-

SWR REDUCER DOOR TEE				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1613	110x75	24	224/-	5376/-
1868	110x90	24	238/-	5712/-

SWR PLAIN BEND 87.5°				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1597	75	60	78/-	4680/-
1599	90	45	118/-	5310/-
1601	110	24	147/-	3528/-
	160		Coming Soon	

SWR DOOR TEE 87.5°				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1864	75	45	128/-	5760/-
1865	90	30	172/-	5160/-
1866	110	24	232/-	5568/-

SWR REDUCING TEE				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
2145	110X75	24	179/-	4296/-
2392	110X90	24	210/-	5040/-

SWR CROSS TEE				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1609	110	20	302/-	6040/-

SWR COUPLER				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1591	75	80	52/-	4160/-
1593	110	48	95/-	4560/-
	90		Coming Soon	
	160		Coming Soon	

SWR DOOR BEND 87.5°				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1861	75	60	91/-	5460/-
1862	90	45	138/-	6210/-
1863	110	24	184/-	4416/-
	160		Coming Soon	



SWR SINGLE PLAIN Y				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1615	75	20	131/-	2620/-
1617	90	20	198/-	3960/-
1619	110	16	262/-	4192/-



SWR PLAIN DOUBLE Y				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1621	75	24	211/-	5064/-



SWR BEND 45 °				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1623	75	45	66/-	2970/-
1625	90	45	88/-	3960/-
1627	110	24	122/-	2928/-
	160		Coming Soon	



SWR SINGLE DOOR Y				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1869	75	20	151/-	3020/-
1870	90	20	214/-	4280/-
1871	110	16	312/-	4992/-



SWR REDUCER COUPLER				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1595	110X75	48	98/-	4704/-



YELLOW RUBBER RING				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
2253	75	100	10.25/-	1025/-
2254	90	100	12.25/-	1225/-
2255	110	100	16.00/-	1600/-

SWR Fittings Self Fit (As Per IS:14735)



PLAIN BEND 87.5° SF				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1523	75	60	76/-	4560/-
1524	90	45	106/-	4770/-
1527	110	24	141/-	3384/-
1529	160	16	396/-	6336/-



PLAIN TEE 87.5° SF				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1551	75	60	101/-	6060/-
1553	90	30	145/-	4350/-
1555	110	24	190/-	4560/-



DOOR TEE 87.5° SF				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1557	75	45	120/-	7200/-
1559	90	30	179/-	5370/-
1561	110	24	236/-	5664/-



DOOR CROSS TEE SF				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1565	110	20	300/-	6000/-



DOOR BEND 87.5° SF				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1854	75	60	89/-	5340/-
1855	90	45	131/-	5895/-
1856	110	24	176/-	4224/-
1857	160	16	391/-	6256/-



REDUCER DOOR TEE SF				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1547	110x75	24	208/-	4992/-
1549	110x90	24	216/-	5184/-



REDUCING TEE				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
2143	110x75	24	182/-	4368/-
2393	110x90	24	198/-	4752/-



BEND 45 °				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1449	75	45	62/-	2790/-
1451	90	45	81/-	3645/-
1457	110	24	111/-	2664/-
2480	140	30	190/-	5700/-
1453	160	16	286/-	4576/-



CROSS TEE SF				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1563	110	20	265/-	5300/-
1589	90	30	211/-	6330/-



SINGLE DOOR Y				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1858	75	20	138/-	2760/-
1859	90	20	181/-	3620/-
1860	110	16	298/-	4768/-



SINGLE PLAIN Y				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1567	75	20	126/-	2520/-
1569	90	20	170/-	3400/-
1571	110	16	240/-	3840/-




PLAIN DOUBLE Y				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
1573	75	20/-	164/-	3280/-

DOOR CAP				
Item Code	SIZES MM	PKG. (Box)	M.R.P.	Box
2471	75	300	29/-	8700/-
2472	90	200	38/-	7600/-
2473	110	150	56/-	8400/-

COLUMN PIPE

"Tirupati" submersible column pipes have been manufactured & designed for withstanding system load comprising of pump water & pipe weight. The square thread is capable to take jerk load during operations.



"Tirupati" submersible column pipes have advantages over the conventional G.I. Pipes :

- Light in weight
- Leak proof joint
- Long life
- High tensile & load bearing strength

These pipes are provided with sepa M.R.P. integral female threaded coupler for all sizes. These pipes are available in 1" to 4" in four different classes for varying needs based on installation depths from 100 mtrs to 350 mtrs.

ECO			
SIZES		WORKING PRESSURE	RATE
MM	(in)	Kg/Cm	Per Pc
33.00	1"	10.00	350/-
42.00	1-1/4"	10.00	420/-
42.00	1-1/4"	12.00	490/-
48.00	1-1/2"	12.00	717/-
60.00	2"	12.00	945/-
75.00	2-1/2"	-	-
88.00	3"	12.00	1790/-
114.00	4"	12.00	2675/-

MEDIUM			
SIZES		WORKING PRESSURE	RATE
MM	(in)	Kg/Cm	Per Pc
33.00	1"	10.00	520/-
42.00	1-1/4"	15.00	720/-
48.00	1-1/2"	15.00	820/-
60.00	2"	16.00	1200/-
75.00	2-1/2"	15.00	1640/-
88.00	3"	15.00	2040/-
114.00	4"	12.00	3080/-

ECO MEDIUM			
SIZES		WORKING PRESSURE	RATE
MM	(in)	Kg/Cm	Per Pc
88.00	3"	8.00	1680/-
114.00	4"	8.00	2345/-

HEAVY			
SIZES		WORKING PRESSURE	RATE
MM	(in)	Kg/Cm	Per Pc
33.00	1"	-	-
42.00	1-1/4"	35.00	1000/-
48.00	1-1/2"	35.00	1320/-
60.00	2"	27.00	1880/-
75.00	2-1/2"	26.00	2500/-
88.00	3"	26.00	3280/-
114.00	4"	26.00	4520/-

STANDARD			
SIZES		WORKING PRESSURE	RATE
MM	(in)	Kg/Cm	Per Pc
33.00	1"	-	-
42.00	1-1/4"	25.00	860/-
48.00	1-1/2"	25.00	1040/-
60.00	2"	20.00	1520/-
75.00	2-1/2"	17.00	2000/-
88.00	3"	16.00	2600/-
114.00	4"	15.00	3920/-

ECO PLUS			
SIZES		WORKING PRESSURE	RATE
MM	(in)	Kg/Cm	Per Pc
88.00	3"	10.00	1700/-
114.00	4"	10.00	2445/-

CASING PIPES

"Tirupati" Protector range of PVC Plain Casing and Ribbed Screen pipes are specially designed to ensure clean, clear water from bore wells, whether shallow or deep.

The Protector range is manufactured as per IS 12818 and DIN 4925 standards.

Like other pipes, these Casing pipes are easy to install. The threaded ends ensure that the pipes can be screwed on to each other without the use of cement or adhesives.



"Advantages:

The PVC Protector Casings have several advantages over conventional steel well casings.

- Nontoxic
- Longer lasting
- Easy installation
- Light weight
- Corrosion resistant
- Higher well yields

uPVC Plain Casing Pipes As Per IS:12818 (3 Mtr Lenght)

PIPE SIZES		M.R.P/PCS	M.R.P/PCS	M.R.P/PCS
INCH	MM	CS	CM	CD
1-1/4"	35	-	476/-	-
1-1/2"	40	-	541/-	-
2"	50	-	768/-	-
3"	80	-	1125/-	-
4"	100	-	1835/-	2578/-
4-1/2"	115	-	2043/-	3059/-
5"	125	-	2950/-	3605/-
6"	150	3081/-	4042/-	5091/-
7"	175	4580/-	5753/-	7877/-
8"	200	5708/-	7390/-	9691/-
10"	250	8939/-	11,505/-	14559/-
12"	300	12,523/-	15,709/-	20467/-

Casing Slotted Pipes As Per IS:12818 (3 Mtr Lenght)

PIPE SIZES		M.R.P/PCS	M.R.P/PCS	M.R.P/PCS
INCH	MM	CS	CM	CD
1-1/4"	35	-	480/-	-
1-1/2"	40	-	546/-	-
2"	50	-	775/-	-
3"	80	-	1135/-	-
4"	100	-	1852/-	2602/-
4-1/2"	115	-	2062/-	3087/-
5"	125	-	2977/-	3638/-
6"	150	3109/-	4079/-	5138/-
7"	175	4621/-	5805/-	7948/-
8"	200	5760/-	7457/-	9779/-
10"	250	9020/-	11610/-	14691/-
12"	300	12637/-	15851/-	20652/-

Ribbed Screen Pipes As Per IS:12818 (3 Mtr Lenght)

PIPE SIZES		RMS	RDS
INCH	MM	PER PCS	PER PCS
1-1/4"	35	648/-	-
1-1/2"	40	763/-	-
2"	50	1018/-	-
3"	80	1480/-	-
4"	100	2335/-	3129/-
4-1/2"	115	2615/-	3689/-
5"	125	3619/-	4320/-
6"	150	4857/-	5978/-
7"	175	6804/-	9072/-
8"	200	8647/-	11104/-
10"	250	13207/-	16467/-
12"	300	17861/-	22941/-

WATER TANK (ROTO MOULD)



**100 % Food Grade Material
Safe For Drinking Water**

TIRUPATI
**WATER
STORAGE
TANK**



Colour Variant ☐ ☒ ☐ ☐ ☐

Capacity Available
500 Ltr, 750 Ltr, 1000 Ltr, 2000 Ltr,
3000 Ltr, 5000 Ltr & 10000 Ltr.



S.No.	SEGMENT	SIZE (in Ltrs.)	2 Layer Rs. / Ltr	3 Layer Rs. / Ltr	4 Layer Puff Rs. / Ltr	5 Layer Rs. / Ltr
			Black / White	White, Blue, Green Marble Green, Marble Gray, Black	White, Blue, Green Marble Green, Marble Gray, Black	Light Blue, Light Green
1.	TIRUPATI	200 & 300	5.70	-	-	-
		500, 750, 1000, 1500 & 2000	4.65	5.25	6.10	7.00
		3000 & 5000	4.75	5.25	-	-
		10000	5.45	5.95	-	-
2.	ISI	500, 2000, 3000, 5000 & 10000	7.85	-	-	-
3.	LOFT	100, 150, 200, 300 & 500	5.90	-	-	-
4.	DRUM	100, 150, 200, 300 & 500	5.90	-	-	-

4 LAYER PUFF TUFF

1.	TIRUPATI PLUS	500, 750 & 1000	-	-	4.75	-
----	---------------	-----------------	---	---	------	---

NOTE : GST @ 18% EXTRA.

GARDEN PIPE

"TIRUPATI PLUS" GARDEN PIPE (30 MTR ROLL)						
SIZES		COLOUR				M.R.P.
(IN INCH)	(IN MM)	BLUE	GREEN	YELLOW	WHITE PINK	
1/2"	12	ZEBRA, TRANSPARENT, DOUBLE LAYER				731/-
3/4"	19					1183/-
1"	25					1613/-
1.25"	32					2258/-
1.50"	50					3225/-

"TIRUPATI PLUS TRIPLE LAYER" GARDEN PIPE (30 MTR ROLL)					
SIZES		COLOUR			M.R.P.
(IN INCH)	(IN MM)	YELLOW	PINK	PARROT GREEN	
1/2"	12	TRIPLE LAYER			738/-
3/4"	19				1194/-
1"	25				1628/-
1.25"	32				2279/-
1.50"	50				



"TIRUPATI" GARDEN BRAIDED HOSE PIPE (30 MTR ROLL)		
SIZES		M.R.P.
(IN INCH)	(IN MM)	
1/2"	12	980/-
3/4"	19	1470/-
1"	25	1960/-
1.25"	32	2450/-
1.50"	50	3063/-



TIRUPATI STRUCTURALS LTD.

REGD. CORPORATE OFFICE :

81, F.I.E. Patpar Ganj, Delhi - 110092, Phones : 011-43041400, Fax : 011-22145978, E-mail : info@tirupatipipes.com

WORKS :

A-6/5, Site-IV, Industrial Area, Sahibabad, Distt. Ghaziabad (U.P.) 201010, Phones : 0120-2897561, 2896998, Fax : 0120-2897517

50/5 & 50/6, Industrial Area, Site No. IV, Sahibabad, Distt. Ghaziabad (U.P.) 201010, Phones : 0120-4206609, Fax : 0120-4206610

Plot No. 214, Khasra No. 212 to 216, Lakeshari Industrial Area Paragna, Bhagwan Pur, Roorkee Distt. Haridwar , , (Uttarakhand)

Phones : 01332-235228/29/30, Fax : 01332-235231

1800-120-9717 | www.tirupatipipes.com